



KNUCKLE BOOM

MK1033CW-1

TECHNICAL DATA

Metric(CE)

Specifications

Model	MK1033CW-1
Crane Capacity	0.995t x 1.3m
Max. Working Radius	9.9m x 0.18t
Max.Lifting Height	11.3m
Max. Reach Below Ground (Optional Winch)	-66.5m (single fall)
Outrigger Max.Extended Width	(Lateral) 4,580mm x (Front) 4,530mm x (Rear) 3,810mm
Travel Speed	0-2.0km/h
Travel Ground Pressure (MK1033CW-1)	57.6kpa [0.59kgf/cm ²]
Travel Ground Pressure (MK1033CWEH-1)	59.6kpa [0.61kgf/cm ²]
Engine	YANMAR 2TNV70-NMBA /Diesel
Engine Rated Output	7.4kw/2,500rpm
Electric Motor	5.5kw, 4P 380V
Dimensions (MK1033CW-1)	2,900mm (L) x 750mm (W) x 1,955mm (H)
Dimensions (MK1033CWH-1)	3,030mm (L) x 750mm (W) x 1,990(1,955)mm (H) *
Dimensions (MK1033CWE-1)	3,235mm (L) x 750mm (W) x 1,955mm (H)
Dimensions (MK1033CWEH-1)	3,235mm (L) x 750mm (W) x 1,990(1,955)mm (H) *
Machine Weight (MK1033CW-1)	2,290kg (2,000kg) *
Machine Weight (MK1033CWH-1)	2,390kg
Machine Weight (MK1033CWE-1)	2,270kg
Machine Weight (MK1033CWEH-1)	2,370kg

*: Some components need to be removed.

KNUCKLE BOOM
MK1033CW-1

TECHNICAL DATA

Metric(CE)

Working Range Chart

